

Indoor PT Camera



Full-HD





Tilt

Human Detection

((%))



Night

Vision



Storage



Audio









Brief Introduction

C2A is a PT camera for indoor security which always keeps an eye on what really matters inside your house. The built-in WiFi module makes it simple wiring in installation and easy to manage via mobile app of ZSmart. Besides, with the smart algorithm, Human detection and motion tracking as well as other alarm message notification function are available for this model.

With the all-in-one smart home platform app ZSmart, you can realize various of powerful and useful functions such as two-way audio, real-time status notification, HD live video or even review the activity with local or cloud storage if needed.

C2A is a economic and perfect choice for places like your apartment or villa.

Features



1080p Full-HD

Enjoy amazingly sharp 1080p live video



Pan and Tilt

Rotate and set the camera's point of view via App



Human Detection

Filter out the mis-alarm objects and detect the human motion only



Night Vision

See what's happening even in the dark



Local & Cloud Storage

Store & review recent activity with local or cloud storage



Two-Way Audio

Listen in or talk back and forth



Motion Tracking

Keep tracking the subject when motion activity is detected

Specifications

| Camera | Image Sensor | 1/3" 2MP CMOS |
|---------|---------------------------|--|
| | Min. Illumination | 0.1Lux / F1.2 |
| | Resolution | 1920 * 1080 (1080p) |
| | P/T | 355° horizontal, 75° vertical |
| | Preset Point | 6 |
| | Tour Plan | Manual / Scheduled |
| Lens | Focal Length | 3.6 mm |
| | Field of View | 100°(Diagonal) / 85°(Horizontal) |
| | Aperture | F2.0 |
| Alarm | Motion Detection | Supported |
| | Human Detection | Supported |
| | Motion Track | Supported |
| Video | Video Compression | H.264 |
| | Night Vision | 10M IR Effective Distance, 6 IR LED |
| | Frame Rate | 25f/s |
| | Flip | Supported |
| Audio | Audio Compression | G.711 |
| | Pick-up Distance | 5m |
| | Speaker | Built-in |
| | Two Way Audio | Supported |
| Network | Ethernet | 1 RJ-45 port (10/100Mbps) |
| | Wireless Protocol | 802.11b/g/n (2.4GHz Wi-Fi) |
| | Data Security | End-to-end encryption, HTTPS secure transfer protocol |
| | Protocol | WebRTC, RTSP, Onvif |
| | Cloud Storage | Supported (1 month free trial) |
| General | Local Storage | Supports 128GB TF card |
| | Power Supply | DC 5V 1.5A |
| | Power Consumption | 2W |
| | Power Adapter Options | US / EU / UK |
| | Working Temperature | 0°C to 55°C |
| | Working Humidity | 10% ~ 90%RH |
| | Regulatory Certifications | FCC, CE, RoHS |

Applicable Scenarios





Living Room

Kid's Room

Dimensions (mm)









